First photographic evidence of Pacific Golden-Plover (*Pluvialis fulva*) at Jorbeer Conservation Reserve, Bikaner, Rajasthan, India

Kalwani Shubham^{1*} and Vyas Sharwan²

¹Wildlife and Conservation Biology Research Lab, Department of Life Sciences, Hemchandracharya North Gujarat University, Patan (Gujarat), India – 384265

Suggested Citation

Kalwani S. & Vyas S., 2023. First photographic evidence of Pacific Golden-Plover (Pluvialis fulva) at Jorbeer Conservation Reserve, Bikaner, Rajasthan, India, Prithivya, An Official Newsletter of WCB Research Foundation and WCB Research Lab. Vol 3(3) 1-3.

The Pacific golden plover belongs to the Charadriidae family (Birdlife International, 2019). The morphological character includes a rounded head, a short bill, a slender body, large eyes, a slim neck, and long legs. In the breeding plumage stage, the inner parts, from the tail feathers to the mandible, together with the eyes, are black, along with white stripes on the tail. The outer parts of the crown and feathers are golden brown, together with a white and black patch on the wings. A white line separates the upper and inner parts, starting from behind the upper eye and ending at the tail. A black stripe is visible inside the inner wings. In non-breeding plumage, it has wide nut-brown to white eyebrows, and the outer parts are light golden brown with white patches, and the inner parts are brown to light grey. In juvenile non-breeding plumage, the breast is variegated brown-yellow and grey-brown, and the bird has a light-yellow stipe on the eye (Birdlife International, 2019). It is the place of least concern in the IUCN Category with the declining population (Birdlife International, 2019).

Generally, they were found near coasts and inland in Bangladesh and NE India. Scarce but regular passage migrant to inland and frequently most commonly visitor in the SE India (Birdlife International, 2019). for the breeding they found in Arctic tundra and western Alaska, and during the winter they visit South America, the Islands of the Pacific Ocean, India, Indonesia, and Australia. (Grimmett *et al.*, 2014; Kazierczak, 2000).

²Department of Environmental Science, Maharaja Ganga Singh University, Bikaner, (Rajasthan), India -334001

^{*}Corresponding author: <u>s.kalwani.sk70@gmail.com</u>

However, the current observation near Jorbeer Conservation Reserve, Bikaner, Rajasthan, India, consists of an area of 56.46 km2 situated in the south-east of Bikaner, 12 km with a 20'30 N and 73'50 E longitude and a 234.84 MSL.

On October 1, 2020, while bird-watching near scattered water bodies in front of the Jorbeer conservation reserve (27.58° N, 73.21° E) in Bikaner, Rajasthan, India, we observed and clicked a photograph of a juvenile Pacific Golden-Plover (*Pluvialis fulva*) at 1745 hr. While it was perching on the side corner of a sewage catchment water body (where the water is collected from the city area for purification) with a mixed flock of ruff (*Calidris pugnax*) and black-winged stilt (*Himantopus himantopus*).

After a few days, we again visited the study site, but we couldn't find the species. It might be changing their route because the Goden-plover is a passage migration bird, and this juvenile is staying here for a day. Generally, Golden-plover is found in the parts of south-west and western Rajasthan, near the Tal Chappar sanctuary, Churu (e-bird, 2021) and Barmer (e-bird, 2023), but this was the first photographic record from the western part of Rajasthan.



Figure 1: Pacific Golden-Plover with ruff at Jorbeer conservation reserve, Bikaner, Rajasthan (© Shubham Kalwani)

Acknowledgements

I would like to thank Prof. Anil Kumar Chhangani and Dr. Partap Singh for their guidance and identification. I would also like to thank Dr. Karni Singh Bithoo and Chetan Misher for their valuable support.

References

BirdLife International, 2019. *Pluvialis fulva* (amended version of the 2016 assessment). *The IUCN Red List of Threatened Species* 2019: e.T22693735A155529922.

Grimmett, R. Inskipp, C. & Inskipp, T. 2014. Birds of the Indian Subcontinent. Digital Edition. Christopher Helm. London. Pp. 1-528.

Johnson, O. W., Fielding, L., Fox, J. W., Gold, R. S., Goodwill, R. H., & Johnson, P. M. (2011). Tracking the migrations of Pacific Golden-Plovers (Pluvialis fulva) between Hawaii and Alaska: New insight on flight performance, breeding ground destinations, and nesting from birds carrying light level geolocators. *Wader Study Group Bulletin*, 118(1), 26-31.

Kazierczak, k. 2000. A Field guide to the birds of India, Sri Lanka, Pakistan, Nepal, Bhutan, Bangladesh and Maldives. 1st ed. London: pica press/Christopher Helm Pp 1-352.

Website: https://ebird.org/region/IN-RJ?yr=all [Accessed on 25 December 2023]